







#### GAZELLE SPECIFICATIONS

# Lightweight, fuel-injected powerplant.

Gazelle's feisty performance stems directly from Nissan's development of lightweight, fuel efficient engines. Gazelle has the very latest 2.0 litre electronically fuelinjected 4 cylinder OHC engine with dual ignition. (Simply, dual ignition means having two spark plugs per cylinder. This provides more efficient combustion, a faster burn, resulting in

performance.) This, combined

better fuel economy and

with the use of lightweight alloys, semispherical combustion chambers and cross flow cylinder head help achieve an outstanding level of power and

In transmissions, a smooth 5-speed manual with 5th gear overdrive is standard. The optional 4-speed overdrive automatic

incorporates a "lock-up" torque converter. In overdrive the torque converter "locks-up" so that the drive is direct from engine to transmission. This eliminates conventional automatic slippage, reducing engine speed to improve fuel economy.

### SPECIFICATIONS

APPEARANCE/COMFORT/CONVENIENCE FEATURES	LIFTBACK	COUPE
Exterior:		
Retractable headlights	STD	STD
Alloy wheels	OPT PACK	STD
Full wheel covers	STD	-
Rear wiper/washer	STD	-
Heated rear window (with timer on Coupe)	STD	STD
Bodycolour bumper bars	STD	STD
Pinstriping	STD	STD
Manual sunroof (glass, tilt)	OPT PACK	-
Interior		STD
Automatic speed control Power windows		STD
Power steering	OPT PACK	STD
Power antenna	OF LINGS	STD
AM/FM stereo radio with electronic tuning	STD	STD
Stereo cassette player (Dolby)	STD	STD
"Diversity" antenna for constant FM signal strength	STD	STD
Number of speakers	4	6 .
Power operated LH & RH exterior mirrors	STD	STD
Time delay interior lighting	-	STD
Tilt steering	STD	STD
Front bucket seats	STD	STD
Driver's seat lumbar support	STD	STD
Front seat "walk in" device for rear seat access	STD	STD
Split fold rear seat (50/50)	STD	-
Luxury cloth seat trim	STD	STD
Air conditioning (dealer fitted option)	OPT	OPT
nstruments - speedometer	STD	STD
- tripmeter	STD	STD
- tachometer	STD	STD
– fuel gauge	STD	STD
- temperature gauge	STD	STD
- voltmeter	STD	STD
- digital clock	STD	STD
<ul> <li>headlamp warning device</li> </ul>	STD	STD
Priver's footrest	STD	STD
arpeted load area	STD	STD
ull floor carpeting	STD	STD
ide demist vents	STD	STD
oor trim – cloth/vinyl	STD	STD
djustable headrests	STD	STD
emote control fuel/lid/boot release	STD	STD
uxury length armrest	-	STD
ay/night mirror	STD	STD
oulded cloth headlining/sunvisors	-	STD
oulded vinyl headlining	STD	-
w fuel/door ajar lamps	STD	STD
ill console	STD	STD
rpet kickpads	-	STD
or map pockets (LHS/RHS)	STD	STD
ont/rear ELR belts	STD	STD
termittent wipers	STD	-
riable intermittent wipers	-	STD
ggage retaining straps	STD	-

Engine: Type CA 20 E. 2.0 litre, 4 cylinder, fuel injected – 2 plugs per cylinder OHC. Bore x Stroke: 84.5 x 88 mm. Capacity: 1974cc. Max. Power. 78 kW @ 5.200 r/min (DIN). Max. Torque: 160 Nm @ 3,200 r/min (DIN). Compression Ratio: 8.5:1.

Fuel System: Electronic fuel-injection, viscous paper type air cleaner, Electric fuel pump. Tank capacity: 53 litres.

Transmission: Manual: 5-speed with overdrive on 5th gear. 1st: 3.321 2nd: 1.902 3rd: 1.308 4th: 1.000 5th: 0.833 Rev: 3.382 Final Drive: 4.111. Automatic 4-speed with overdrive 4th gear, lock-up torque converter. 1st: 2.842 2nd: 1.542 3rd: 1.000 4th: 0.686 Rev: 2.400 Final Drive: 4.111.

Brakes: Power assisted hydraulic system, operated through tandem master cylinder with vacuum assist, rear brake pressure proportioning valve and disc brake pad wear indicator on front wheels only. Front: Disc. Rear: Disc. Parking brake mechanically operated on rear wheels via central pull-up lever.

Suspension: Front: Independent MacPherson Strut type, coil spring, stabiliser bar and tension rods. Rear: Independent semi trailing arm, coil spring shock absorbers and stabiliser bar.

Steering: Liftback: Variable ratio rack and pinion. Coupe & option pack Liftback: Rack and pinion power steering.

Wheels: Liftback: 5J x 14 styled steel wheels with wheelcovers. Option pack: 6JJ x 15 alloy wheels. Coupe: 6JJ x 15 alloy wheels.

Tyres: 185/70HR14 steel radial tyres (5J x 14 steel wheels). 195/60R15 steel radial tyres (6JJ x 15 alloy wheels).

Nominal Dimensions and Weights		Liftback	Coupe
Overall length	mm	4350	4350
Overall width	mm	1660	1660
Overall height	mm	1330	1330
Ground clearance (unladen)	mm	155	155
Wheelbase	mm	2425	2425
Front track	mm	1380	1390
Rear track	mm	1360	1370
Kerb weight*	kg	1120	1100

<sup>\*</sup>Maximum weight

Gazelle is available with an option pack, at extra cost, for the Liftback.

 Power steering • Sunroof (manual) • 15" Alloy wheels & 60 Series tyres. Air Conditioning - dealer fitted option on both Coupe and Liftback.



\*Two-tone colour available at extra cost.

## Interior Trim: Blue (B) Grey (K)

Blue cloth (B) available with exterior colours 002, 106, 210 and 261. Grey cloth (K) available with exterior colours 013, 218, 224 and 280. Some colour and trim combinations may, at times, be unavailable and may vary in colour from those depicted in this brochure. Consult your dealer on availability and colours.

All illustrations, information and specifications presented and referred to in this brochure were correct at the time when the brochure was approved for printing, however Nissan Motor Company (Australia) Pty. Ltd. and/or Nissan Motor Manufacturing Company (Australia) Pty. Ltd. reserve(s) the right subject to the laws of Australia and/or any applicable State or Territory thereof and/or the regulations of any competent Authority which may apply from time to time. at their or its discretion at any time, and without prior notice to discontinue or change the models, features, specifications, designs and prices of the products, referred to in this brochure and any optional equipment therefore without incurring any liability whatsoever to any purchaser or prospective purchaser of any of such products. Some of the items referred to herein are optional at extra cost. Some options may be required in combination with other options. Always consult your Nissan Dealer for the latest information on models, specifications. features, prices, options and availability.

Nissan Motor Company (Australia) Pty. Ltd. Inc. in Vic.

Printing Date: August 1985/NLT2494/5M



